

Godavari Biorefineries Ltd

To,
The Additional Principal Chief Conservator of Forest (c),
Ministry of Environment & Forest
Regional Office (South Zone).4th Floor, E&F Wings,
Kendriya Sadan, 17th Main road, Ilnd BLOCK, Koramangala.
Bangalore - 560034.

Sub: Half Yearly Compliance report for Environmental Clearance-Reg. Ref: Environmental Clearance No.SEIAA:1: IND: 2007 Dated 18.11.2009

Dear Sir,

With reference to the above mentioned subject and reference, please find enclosed herewith the point wise compliance report for the period from April-2021 to September-2021 Pertaining to 15000 TCD Sugar Plant & 45.56 MW Co-generation at M/s Godavari Biorefineries Limited A/P: Sameerwadi, Tal: Mudhol, Dist: Bagalkot,

Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully,

For Godavari Biorefineries Limited,

B R Bakshi

Executive Director

Copy to,

 The Secretary, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag Road, Aliganj, New Delhi-110003

2. The Member Secretary, Karnataka State Pollution Control Board, #49, church street, Parisara bhavan, 4th and 5th floor Bangalore-1

 The Member Secretary, State Level Environmental Impact Assessment Authority, Department of Ecology & Environment, Room No.709, 7th Floor, 4th Gate, M.S. Building, Bangalore - 560 001 Karnataka.

4. Regional Director (Environment), Department of Ecology and Environment, Government of Karnataka, Belgaum.



Works: P O Sameerwadi, Tal Mudhol, Dist Bagalkot, Karnataka State - 587 316. INDIA Tel: (91-08350) 260046/ 47/ 48 Fax: (91-08350) 260037 Gram: "SUGAR MILLS" Sameerwadi

Regd. Office : Somaiya Bhavan, 45/47, Mahatma Gandhi Road, Fort, Mumbai - 400 001 INDIA. Tel : (91-22) 2204 8272 / 2285 8430 Fax : (91-22) 2204 7297 www.somaiya.com



DETAILS OF THE COMPANY, CONTACT PERSONS & CURRENT STATUS OF THE PROJECT

Contact details, address, telephone/mobile Number of Company/Executives	B R Bakshi Executive Director Godavari Biorefineries Limited A/P: Sameerwadi, Tal: Mudhol, Dist: Bagalkot, Pin-587316, Phone: 08350-260046/47
E-mail ID & Website address of the company	Company E-mail ID: director.sameerwadi@somaiya.com Website: www.somaiya.com
Name and Contact details of the Responsible person	Mallikarjun jambur, Sr. Manager (Environment) E-mail: jambur.mallikarjun@somaiya.com Contact No: 9606959873
Current status of the project	The Expansion of the Sugar & co-gen unit Has been completed and Date of commissioning: December 2011. Capacity of the sugar cane crushing Unit is 15000 TCD and Co-gen 45.56 MW The sugar unit will function during October to April period and the co-gen Unit will function from October to May.



Sy.No	Condition	Compliance
01	Suitable Air Pollution Control System (ESP/Wet scrubber) and stacks of appropriate height as per the CPCB guidelines shall be provided to control emissions from various sources and shall ensure emissions levels below the KSPCB prescribed standards. Separate electric meters should be provided to the Air pollution Monitoring System and a separate log book maintained for the daily meter readings and monthly report submitted to concerned Regional Officer, KSPCB & Regional Director (Environment), Department of Ecology and Environment, Government of Karnataka, Belgaum. The production process should be interlocked with the Air Pollution control systems.	For Co-gen. Boilers ESP are provided & for Sugar Boilers Wet Scrubbers are provided as APC Control System. Stack heights are as per CPCB guidelines and the emissions from various sources are within stipulated norms given by KSPCB standards. Separate electrical meters are installed for air monitoring system and separate logbook maintained for meter readings. Reports being submitted to Regional Officer, KSPCB Bagalkot. We have provided alarm system in DCS for immediate action to control production. And further industry was not in operation from April to September due to off season so there is no data attached.
02	ETP treated water shall not be let out of the industry's premises and should be used for farming/gardening within.	The sugar trade effluent is treated in Sugar E.T.P and treated water is used to irrigate our own farming and gardening. We are not letting out any effluent out of our Industry premises. The industry also installed Online Effluent Monitoring system. The System was kept in offline due to offseason.
03	Ash generated should be mixed with press mud and composted and used or given to farmers as manure. 100% utilization of ash should be ensured from the date of operation of the plant. The project authorities shall adhere to the provision stipulated in the fly sash notification of September, 1999 and as amended in August 2003 in regard to fly ash utilization.	followed as per Fly ash Notifications of September 1999 and amend in August 2003
04	All the conditions stipulated in CFE/CFO issued by Karnataka State Pollution Control Board shall be strictly implemented	Already implemented
05	Only bagasse / biomass should be used as fuel. Not to use wood logs, coal as fuel & no other fuels should be used.	The Industry ensures that only bagasse / biomass will be used as fuel.
06	No ground water shall be drawn for the power plant at any stage. Treated effluents shall be used for sugar cane seed farm / green belt development. These should be no wastewater discharge from the plant.	We are not drawing any ground water for power plant. We are not discharging any waste water from plant and are being used for garden and green belt watering after

iviron	mental Clearance No.SEIAA:1: IND: 2007 Dated 18.11	treatment.
07	For controlling fugitive dust inside and outside the plant premises and vulnerable area of the plant, dust extraction and suppression system and water sprinklers shall be ensured.	Industry has taken all the precautionary measures to control fugitive emission inside and outside the plant premises and vulnerable area. Water sprinkler system has been adopted to mitigate fugitive emission
08	Noise level shall be limited to 75 dBA. For people working in high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	The industry has provided the protective equipment like earplug etc., to all working personnel at higher noise area, both the TG and DG has been provided with acoustic enclosures. With all these protective measures noise levels are not exceeding 75 dBA at the factory premises.
09	Minimum 33% green area should be developed in the project area. Planting should done with tree density of about 1111 trees per ha. i.e. at an escapement of 3mX3m and cover with suitable local perennial tree species.	The greenbelt development is already been done in 126 acres of land out of 382.07 acres project area. We have continuously developing green belt area in and around the factory premises for perennial tree species. The total Tree population as on date is 39565
10	The gaseous emissions (SO2 & NOX) and particulate matter from Boilers, D.G sets and other processes shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation under intimation to the Regional Officer, KSPCB & Regional Director (Environment), Department of Ecology and Environment, Government of Karnataka, Bagalkot and shall not be restarted until the desired efficiency has been achieved.	
11	The Project authorities shall develop separate drain for storm and waste water so that during rains, wastewater is not mixed with the stromwater. The wastewater drains shall be provided with V-notch for monitoring the quantity of wastewater and the wastewater quantity shall be limited to the extent of permission of Karnataka State Pollution Control Board.	measuring the waste water generation and the quantity of the waste water

Environ	mental Clearance No.SEIAA:1: IND: 2007 Dated 18.11	1.2009
		industry also installed Online Effluent Monitoring system to monitor BOD, COD, pH, TSS and Flow parameters. The data is connected to CPCB server. The System was kept in offline due to offseason
12	The company shall take adequate steps to avoid odour nuisance from disposal of press mud and ETP sludge. The transportation of these shall be in covered means.	Adequate measures are taken to avoid odour nuisance from press mud and ETP sludge. The transportation will be done in covered means.
13	The company shall develop covered storage areas for lime, sulphure, and Phosphoric acid to avoid mixing of the same with the rainwater for the existing sugarcane plant.	Company has already provided covered storage godowns for lime, Sulphur & phosphoric acid to avoid mixing with rain water
14	Regular monitoring of the air and water quality should be carried out in and around the power plant and records be maintained. Six monthly reports shall be submitted to the SEIAA Karnataka, MOEF Regional Office, Bangalore, Department of Environment and Ecology, Government of Karnataka and Regional Director (Environment), Department of Ecology and Environment, Government of Karnataka, Belgaum.	We are regularly monitoring air and water quality in and around power plant and records are maintained. Six monthly compiled reports are submitted to all statutory Authorities as per the MoEF guidelines. Industry was not in operation from April to September due to off season so there is no data attached.
15	Adequate numbers of ground water quality monitoring stations shall be set up around the green belt area. These monitoring stations will be provided with piezometers. The company shall monitor six monthly, the soil and ground water quality in the plant and green belt area to ensure that there shall not be ground water pollution and reports submitted to Ministry's Regional Office/SPCB/CPCB, Department of Environment and Ecology, Government of Karnataka, Bangalore and the Regional Director (Environment) Department of Ecology and Environment, Government of Karnataka, Bagtalkot.	The industry has provided adequate numbers of ground water monitoring stations around the plant Piezometers are also provided. The reports are common for the entire complex. Six monthly compiled reports are submitted to all statutory Authorities as per the MoEF guidelines Industry was not in operation from April to September due to off season so there is no data attached.
16	The project proponent shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Karnataka State Pollution Control Board and Authority website at http://seiaa.kar.nic.in	The industry has published in the Newspapers. The Xerox copies of the same are already submitted along with compliance report.
PA17	A separate environment and safety management	We have already having separate

Environmental	Clearance I	No.SEIAA:1:	IND: 2007	Dated 18.11.2009
----------------------	-------------	-------------	-----------	------------------

Environn	nental Clearance No.SEIAA:1: IND: 2007 Dated 18.1	
		Environment Management cell and Safety cell with qualified & experienced staff. 1. Mr. Prakash Bhondare- GM (QA&E) 2. Mr. M.N.Jambur-Sr.Manager (Env) 3. Mr. M.S. Godi, Dy. Manager (WTP) 4. Mr. R. V. Deshapande Dy.Manager (Safety) 5. Mr. K. Bandekar -Jr.Officer (Safety) With 12 Nos. Safety Guards.
18	Half yearly report on the status of implementation of the stipulated conditions and environmental safeguards shall be submitted to SEIAA, Karnataka / Regional Office of Ministry of Environment & Forests, Bangalore/CPCP/KSPCB, Department of Environment and Ecology, Government of Karnataka and Regional Director (Environment), Department of Ecology and Environment, Government of Karnataka, Belgaum.	We are submitting the Half Yearly compliance report to all statutory Authorities.
19	Karnataka SEIAA / Regional Office of the Ministry of Environment and Forests located at Bangalore/Department of Environment and Ecology, Government of Karnataka and the Regional Director (Environment), Department of Ecology and Environment, Government of Karnataka, Bagalkot will monitor the implementation of the stipulated conditions. Complete set of Environmental Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office of MOEF Bangalore / SEIAA, Karnataka / Department of Ecology and Environment, Government of Karnataka and the Regional Director (Environment) Department of Ecology and Environment, Government of Karnataka, Belgaum for their use during monitoring.	
20	Separate funds should be allocated for implementation of Environmental protection measures along with item-wise break up. These	environmental protection/control

Environmental	Clearance No.SE	IAA:1: IND: 2	2007 Dated	18.11.2009
---------------	-----------------	---------------	------------	------------

FUALLOW	nental Clearance No.SEIAA:1: IND. 2007 Dated 10:1:	0 4 4 5 0 1 1 1 1 1 1 1 1 1
	cost shall be included as part of the project cost.	of the APC equipment and ETP is
	The funds earmarked for the environment	about 4.46 Cr.
	protection measures shall not be diverted for	The year wise expenditure is
	other purposes and year wise expenditure should	reported to KSPCB Bangalore
	be reported to the, SEIAA Karnataka, MOEF	
	regional office, Bangalore, Department of	
	E31111101111111111111111111111111111111	
	Karnataka and Regional Director, (Environment),	
	Department of Ecology and Environment,	
	Government of Karnataka, Belgaum.	
21	The project authorities should inform the SEIAA,	Regarding financial closures and final
21	Karnataka/ Department of Environment and	approval by concerned authorities.
	Ecology, Government of Karnataka / Regional	a) Date of start of land development
	1	
	Director, (Environment), Department of Ecology	March 2010.
	and Environment, Government of Karnataka,	b) Date of commissioning
	Belgaum/ Regional office of the Ministry of	December 2011.
	Environment and Forests regarding the date of	
	financial closure and final approval of the project	
	by the concerned authorities and the dates of start	
	of the discontinuous and sommissioning of	
	of land development work and commissioning of	
	plant.	
22	The project Authorities shall provide proper rain	We have already provided proper
	water harvesting and ground water recharge	rainwater harvesting pond and
	facilities and report be submitted.	facilities for ground water recharge.
	The state of the s	
23	Full cooperation should be extended to the	We are giving full co-operation to the
23		
	Ministry at Bangalore/ the CPCB/ the KSPCB/	Ministry at Bangalore/ the CPCB/ the
	the department of Environment and Ecology,	KSPCB/ the department of
	Government of Karnataka / Regional Director	Environment and Ecology,
	(Environment), Department of Ecology and	Government of Karnataka / Regional
	Environment, Government of Karnataka,	
	Belgaum who would be monitoring the	1 1
	, ,	Government of Karnataka, Belgaum
	compliance of conditions.	
		who would be monitoring the
		compliance of conditions.
24	A master plan for social commitment giving	We are having separate CSR
	details of proposed works/ activities and	(Corporate social Responsibility)
	expenditure year wise to be prepared and	activities to take care of social welfare
	submitted to SEIAA and shall be implemented	development and substantial
	_	_
	strictly.	expenditure is made
25	The project proponent shall undertake the	
	medical checkup camps in the nearby villages,	checkup camp from reputed medial
	provide educational facility to the students and	staff from KLE Belgaum and
700	provide library, drinking water for Hallur,	
TEAL	Kesarakopa, Handigunda Schools etc., with a	
	ixesarakopa, frandigunda benevis etc., with a	conduct diese in 10st six months

Environ	budget not less than Rs.13.25lakhs and Rs.2lakhs	because of Covid-19. However we
	for establishment of theme park in the Science Centre, Dharawad towards the corporate social	will continue the activities. We are providing educational facility to the
	commitment made vide letter dated 09-11-2009 & 17-11-2009 as committed and report be submitted to the Authority.	students under Help a child scheme from CSR.
26	The project proponent should display the conditions prominently at the entrance of the project on a big panel board for the information of the public.	Information board is displayed at the entrance of the project / factory
27	The infrastructure of transport roads liking to the nearest main road shall be improved and maintained by the proponent.	We have improved the infrastructure facility by maintaining nearest main roads and linking roads.
28	The SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the Ministry.	Agreed and abide by the condition.
29	The environmental clearance accorded shall be valid for a period of 05 years or date of commencement of operation of the power plant, whichever is earlier. In case the project authorities fail to do so within this stipulated period, this environmental clearance shall stand impaled automatically.	The Expansion of Sugar and Co-gen project is completed. a) Date of start of land development March 2010. b) Date of commissioning December 2011.
30	No further expansion or modifications in the plant shall be carried out without prior approval from the SEIAA Karnataka. In case of any deviation or alteration in the project proposed from those submitted to this SEIAA to assess the adequacy of the conditions imposed and to add additional conditions for environmental protection required if any.	Agreed
31	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollutions) Act, 1974, the Air (Prevention and Control of 3Pollution) At 1981, the Environment (Protection) Act, 1986 Hazardous Wasters (Management and Handling) Rules, 1989 and its amendments, the Public Liability Insurance Act, 1991 ad its amendments, the Environment Impact Assessment Notification of January, 2006 and their subsequent manufacture, storage and Import of Hazardous Chemicals Rules, 1989 amendments.	
32	The issue of Environment Clearance doesn't confer any right to the project proponent to	
FINA	operate / run the project without obtaining statutory clearances / sanctions form all other	

Environmental Clearance No.SEIAA:1: IND: 2007 Dated 18.11.2009

	concerned Authorities	
33	Concealing factual date or submission of false / fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed
34	Any Appeal against this environmental clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997	Agreed

Date: 25.11.2021 Place: Sameerwadi For Godavari Biorefineries Limited

Executive Director