Godavari
Biorefineries Ltd

Godavari Biorefineries Ltd

GBL/SAK/MOEF/4711

Date: 31/10/2026

To,
The Additional Principle Chief Conservator of Forest(C),
Ministry of Environment, Forest and Climate Change,
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur-440001,
Email address: -apccfcentral-ngp-mef@gov.in

Subject: -Submission of Compliance of general and specific conditions of Environment Clearance for M/s. Godavari Biorefineries Ltd. A/P. Sakarwadi, Tal-Kopargaon, Dist-Ahmednagar, Maharashtra

Reference: - Environmental Clearance No. IA-J-11011/154/2019/IA-II(I) Dated 06.08.2021 From Ministry of Environment, Forest, and Climate Change.

Respected Sir,

In compliance with the standard guidelines of the Ministry of Environment, Forest and Climate change, we are submitting herewith our six-monthly Compliance report for period **April-2026 to September-2026**, of General & Specific conditions of environmental Clearance granted to us.

Vide letter no. IA-J-11011/154/2019/IA-II(I) Dated 06.08.2021 For Expansion of Existing industry and addition of new product of organic Chemicals.
We would like to inform you that, Proposed project of expansion is under execution However,
The conditions for the proposed project as mentioned in compliance of EC are being maintained properly with advancement as suggested by authorities' time to time.
This is submitted for your kind information and record please.

Thanking you,

For Godavari Biorefineries Ltd.

Director (Works)

CC: -The Sub Regional Officer,MPCB,Ahilyanagar

Encl: -Compliance of Conditions of Environmental Clearance.

P. O. : Sakarwadi,Near Railway Station Kanhegaon , Tal Kopargaon, Dist Ahilyanagar Maharashtra - 413708. (M.S.) INDIA
Tel : (02423) 279308/ 279396 / 279440 Cont: 7722054202 / 8605593271 E-mail :sakarwadi@somaiya.com
Regd.Office :Somaiya Bhavan, 45/47, Mahatma Gandhi Road, Fort, Mumbai - 400 001. INDIA.
Tel :(91-22) 6170 2100 / 2204 8272 Fax : (91-22) 022-61702257 www.godavaribiorefineries.com
CIN No :L67120MH1956PLC009707

Somaiya GROUP

Compliance of Conditions of Environmental Clearance Ref No- IA-J-11011/154/2019-IA-II (I)Dated 06.08.2021

Sr. No.	EC Conditions	Compliance Status
A	**Specific Conditions:**	
1	The Company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in theEIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	All environmental protection measures and EIA/EMP recommendations are implemented in accordance with the Environmental Clearance conditions.
2	Implementation of the directions of Hon'ble NGT w.r.t. Bio-remediation plan of soil and Water (Ground & Surface) contaminated by the earlierDistillery Unit on time bound manner. The implementation report shall be submitted to IRO MOEF & CC on six monthly-bases.	Implementation of Bioremediation for Water (Ground & Surface) contaminated by the earlier Distillery Unit is in process. As per CPCB directions, Industry has regularly submitted quarterlyAnalysis Reports of identified locations. Herewith attached last two quarters Analysis reports submitted to CPCB as **Annexure-I**
3	Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97% with Effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.	**Regular VOC monitoring has been carried out, and the latest monitoring reports are enclosed as Annexure-II.**
4	An Occupational health center for surveillance of the worker's health shall be set up. The health datashall be used in deploying the duties of theworkers. All workers & employees shall be provided with required safety Kits/mask for personal protection.	The existing setup complies with the stipulated requirements. The same requirements will be implemented for the proposed expansion.
5	As already committed by the project proponent, Zero Liquid Discharge (ZLD) shall be ensured, andno waste/treated water shall be discharged outside the premises. Treated effluent shall be Reused in the process/utilities. Treated industrial effluent shall not be used for gardening/greenbelt Development/horticulture purpose.	The existing setup complies with the stipulated ETP and ZLD requirements. The same shall be ensured for the proposed expansion.
6	The unit shall make up the arrangement for the prevention and protection of possible fire hazardsDuring manufacturing process in material handling. Fire-fighting system shall be as per norms. Mock drill Shall be conducted regularly	The existing setup complies with the stipulated fire safety requirements, including firefighting systems and regular mock drills. The same shall be ensured for the proposed expansion.
7	Training shall be imparted to all employees onsafety and health aspects of chemicals handing. Safety and visual reality training shall be providedto employees.	The existing setup complies with the stipulated safety and health training requirements, including chemical handling and safety training. The same shall be ensured for the proposed expansion.

8	Total freshwater requirements, sourced from River through Canal and Ground Water through openwell, shall not exceed 2,691 m3/day. Prior permission in this regard shall be obtained from the concerned Regulatory authority	The industry has obtained permission for freshwater withdrawal from the river through a canal and groundwater through an open well. The details were submitted vide Letter No. GBL/SAK/MoEF/2204 dated 28.12.2021. The stipulated requirements are complied with.
9	Storm Water from the roof top shall be channelized through pipes to the storage tank constructed for Harvesting of rainwater in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/any wastewater shall not be allowed to mix with storm. water.	Separate arrangements are in place for collecting stormwater and process effluent/wastewater. Rainwater harvesting is in progress, and the harvested water will be utilized for industrial processes.
10	Continuous online (24 x7) monitoring system for stack emissions shall be installed for MeasurementOf flue gas discharge and the pollutants concentration, and the data to be transmitted to theCPCB and SPCB Server for ZLD the unit shall installweb camera with night vision capacity and flowmeters in the channel/drain Carrying Effluent within the premises (if applicable).	Not applicable, as industry does not come under 17 categories of highly polluting industries.
11	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system (b) Reactor and solvent handing pump shall have mechanical seals to prevent leakages (c) Solvent shall be stored in a separate space provided with all safety measures. (d) Proper earthing shall be provided in all theelectrical equipment wherever solvent handing is done (e) Entire plant shall be flameproof. The solvent storage tanks shall be provided withbreather valves to prevent losses (f) All the solvent. Storage tanks shall be connected with vent condensers with chilled circulation.	The existing setup complies with the stipulated solvent management requirements. The same shall be ensured for the proposed expansion.
12	Process organic residue and spent carbon, if any, shall be sent to Cement or other suitable industries for its Incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF. There shall be Commitment from the brick manufacturing to take the fly ash from the plant. The unit is to be started after getting the Commitment. from the brick manufacturer/cement plant.	Process organic residues and spent carbon are disposed of through authorized cement plants/co-processing facilities, while ETP sludge, process inorganic waste, and evaporation salts are sent to authorized TSDF facilities, as applicable
13	The company shall undertake waste minimization measures as below. (a) Metering and control of quantities of active ingredients to minimize Waste (b) Reuse of by-products from the process as raw materials or as raw materials substitutes in other	Waste minimization is ensured through efficient use of raw materials and reuse of by-products wherever feasible.

	processes ©Use of automated filling to minimize spillage. (d) Use of Close Feed systems in batch reactors. (e) Venting equipment's through vapors recovery system. (g) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	
14	The green belt of at least 5-10 m width shall be developed in at least 33% of the total project area, mainly along the Plant periphery/additional land. Selection of plant species shall be as per CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing maps. Trees have to be planted with a spacing of 2m x2m and thenumber of trees has to be increased accordingly. The plant species can be selected that will give. better carbon sequestration. All trees must be planted within the first year.	Greenbelt covering at least 33% of the total project area is maintained, in compliance with EC requirements.
15	The activities and the action plan proposed by the project proponent to address the socio-economic and public hearing Issues in the study area shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearings shall be satisfactorily implemented.	The CER activities and Public Hearing commitments were implemented up to September 2026, including road repairs at Kanhegaon and Sade, financial assistance for maintenance of Dongaon–Puntamba K.T. Weir, support for the Kanhegaon Gram Panchayat pipeline, higher education assistance to students, and domestic and drinking water supply to surrounding villages. Total expenditure was ₹76,57,381, and vendor payment bills are enclosed as Annexure-III.
16	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/ Specializationin the project area) equipped with full-fledgedlaboratory facilities shall be set up to carry out the Eenvironmental Management and Monitoringfunctions.	The industry has a dedicated Environmental Management Cell staffed with qualified environmental professionals.
B	**General Conditions:**	
	The grant of environmental clearance is further subject to compliance with other general conditionsas under	The industry complies with the applicable general conditions stipulated in the Environmental Clearance.
I	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be Carried out withoutprior approval of the Ministry of Environment, Forest, and Climate Change/SEIAA, as applicable. In case of deviation or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference Shall be made to the Ministry/SEIAA, as applicable, to assess the	No expansion or modification beyond the approved project scope is undertaken without prior approval from MoEF&CC/SEIAA,SPCB as applicable. Any proposed changes shall be referred to the concerned authority for assessment and approval.

	adequacy of conditions imposed and additional Environmental protection measuresrequired if any	
II	The project proponent shall strictly comply with the rules and guidelines issued under the manufacture,storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time, the Chemicals Accidents (Emergency planning,Preparedness and Response) Rules, 1996 andHazardous and other Wastes (Management and Trans-Boundary Movement) Rules,2016 and other rules notified under various Acts.	The industry complies with the applicable provisions of the MSIHC Rules, 1989, Chemical Accidents Rules, 1996, Hazardous and Other Wastes Rules, 2016, and other relevant environmental regulations.
III	The energy source for lighting purposes shall be Ppreferably LEDbased,or advanced having preference in energy conservation andEnvironment betterment.	Energy-efficient LED lighting is used in the industry to conserve energy and minimize environmental impact.
IV	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures Including acoustic hoods, Silencers, enclosures etc. on allsources of noise generation. The ambient noiselevels shall conform to the Standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75dBA (daytime) and 70dBA (Nighttime)	Noise control measures are implemented to maintain ambient noise levels within the prescribed standards. Regular noise monitoring is carried out as per applicable requirements.
V	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities Shall beundertaken by involving local villages and administration. The company shall undertake eco-developmental measures including Community. welfare measures in the project area for the overall improvement of the environment.	The company undertakes socio-economic development and community welfare activities in the surrounding villages in coordination with local communities and administration.
VI	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the ministry of Environment, Forest, and climate change as well as the State Government along with the Implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution controlmeasures shall not be diverted for any other. purpose.	A separate budget is allocated for environmental management and pollution control, covering ETP,STP operation and maintenance, laboratory expenses, chemicals, and hazardous waste disposal. The required Bank Guarantees (BGs) are also submitted to the concerned authorities
VII	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local body and the local NGO, If any, from whom suggestions/representations, if any, were received	Complied.

	while processing the proposal.	
VIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitoring data to the respective regional office of MOEF& CC. the respective zonal office of CPCB & SPCB. A copy Of Environmental Clearance and six-monthly compliance status reports shall be posted on the website of the company.	Complied.
IX	The environment statement for each financial year ending 31st March in From-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently shall also be put on the Website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MOEF&CC by e-mail.	Complied. and Submitted to State Pollution Control Board within time.
X	The project Proponent shall inform the public that the project has been accorded environmentalclearance by the Ministry and copies of the Clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ thisshall Be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated In the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shallbe forwarded to the concerned Regional office of the Ministry.	Complied and Submitted to your office vide our letter no-GBL/SAK/MOEF/2204 dated 28/12/2021
XI	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied.
XII	This Environmental clearance is granted subject to outcome of Hon'ble Supreme Court of India. Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	The Environmental Clearance is subject to the outcome of any proceedings before the Hon'ble Supreme Court, High Courts, NGT, or other competent courts, as applicable.
XIII	The Ministry reserves the right to stipulateadditional conditions, if found necessary at subsequent stages and the project proponent shallImplement all the said conditions in a time bound manner	The industry shall comply with any additional conditions stipulated by MoEF&CC within the prescribed timelines. The Environmental Clearance is subject to suspension or revocation in case of unsatisfactory compliance

	The Ministry may revoke or suspend theenvironmental clearance, if Implementation of any of the above conditions is not found satisfactory.	
XIV	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of the Environment (Protection) Act 1986.	The industry shall ensure truthful reporting and compliance with all EC conditions, failing which legal action may be initiated under the Environment (Protection) Act, 1986)
XV	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	The applicability of this condition is noted, and the industry shall comply with the prescribed requirements, as applicable.
XVi	The above conditions shall be enforced inter-alia under the provision of the Water (Prevention & Control of pollution) Act 1974, the Air (Prevention & Control of Pollution) Act 1981, the Environment (Protection) Act, 1986. Hazardous and other Wastes (Management & Transboundary Movement) Rules,2016 and the public Liability insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	**Complied. The required Consent to First Operate (Expansion), along with amalgamation of the existing renewed Consent to Operate and product changes under Product Mix, has been obtained from MPCB. A copy is enclosed as Annexure IV.** **Consent No.: MPCB-CONSENT-0000293288/CO/2610000139, dated 02.10.2026.**

Annex:- I

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493.
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ1
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample : **Well Water: Shri. Machindra Jayaram Kajale**	
Sample Location : Latitude-19^{0}50.117'N, Longitude- 74^0 33.819'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.63
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	30
5	Electrical Conductivity	µmhos/cm	909
6	Total Hardness ($CaCO_3$)	mg/l	431
7	Total Dissolved Solids	mg/l	647
8	Nitrate (NO_3-N)	mg/l	5.2
9	Phosphate (PO_4-P)	mg/l	3.7
10	Sulphate (SO_4^-)	mg/l	122
11	Chloride (Cl^-)	mg/l	301
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	3.1
14	Zinc (Zn)	mg/l	1.3
15	Copper (Cu)	mg/l	1.1
16	Chromium (Cr)	mg/l	0.53
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.2
19	Nickel (Ni)	mg/l	0.04
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

END of Test Report

PAN NO. AAMFD6620P ▮ REGISTRATION NO. PN00000996 ▮ GSTIN : 27AAMFD6620P1ZW ▮ TAN : KLPD02394A

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ2
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample : **- Handpump Water: Sangale Wasti.**	
Sample Location :Latitude-$19^0$50.567'N, Longitude- $74^0$33.564'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.71
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	35
5	Electrical Conductivity	µmhos/cm	981
6	Total Hardness ($CaCO_3$)	mg/l	380
7	Total Dissolved Solids	mg/l	660
8	Nitrate (NO_3-N)	mg/l	4.57
9	Phosphate (PO_4-P)	mg/l	3.5
10	Sulphate (SO_4^-)	mg/l	74
11	Chloride (Cl^-)	mg/l	201
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.5
14	Zinc (Zn)	mg/l	1.1
15	Copper (Cu)	mg/l	0.4
16	Chromium (Cr)	mg/l	0.4
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.1
19	Nickel (Ni)	mg/l	0.06
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR.S.SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

END of Test Report

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / benagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ3
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Shri. Ashok Kajale**	
Sample Location :Latitude-$19^0$49.878'N, Longitude- 74^0 33.921'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.58
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	36
5	Electrical Conductivity	µmhos/cm	827
6	Total Hardness ($CaCO_3$)	mg/l	466
7	Total Dissolved Solids	mg/l	581
8	Nitrate (NO_3-N)	mg/l	7.0
9	Phosphate (PO_4-P)	mg/l	3.9
10	Sulphate (SO_4^-)	mg/l	143
11	Chloride (Cl^-)	mg/l	274
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.9
14	Zinc (Zn)	mg/l	1.6
15	Copper (Cu)	mg/l	1.6
16	Chromium (Cr)	mg/l	0.6
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.1
19	Nickel (Ni)	mg/l	0.2
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ4
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample : **Well Water: Shri. Santosh Shrihari Walunj**	
Sample Location :Latitude-$19^0$49.938'N, Longitude- 74^0 33.959'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.60
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	31
5	Electrical Conductivity	µmhos/cm	771
6	Total Hardness ($CaCO_3$)	mg/l	383
7	Total Dissolved Solids	mg/l	534
8	Nitrate (NO_3-N)	mg/l	3.0
9	Phosphate (PO_4-P)	mg/l	1.3
10	Sulphate (SO_4^-)	mg/l	74
11	Chloride (Cl^-)	mg/l	186
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	0.42
14	Zinc (Zn)	mg/l	0.4
15	Copper (Cu)	mg/l	0.06
16	Chromium (Cr)	mg/l	0.04
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.04
19	Nickel (Ni)	mg/l	BDL
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/SW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ5
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Surface Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **River Water: Near Open Well Inside of Godavari River Bed**	
Sample Location :Latitude-$19^0$49.92'N, Longitude- 74^0 33.55'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.44
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	14
5	Electrical Conductivity	µmhos/cm	391
6	Total Hardness ($CaCO_3$)	mg/l	131
7	Total Dissolved Solids	mg/l	259
8	Nitrate (NO_3-N)	mg/l	1.31
9	Phosphate (PO_4-P)	mg/l	1.08
10	Sulphate (SO_4^-)	mg/l	26
11	Chloride (Cl^-)	mg/l	35
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	0.33
14	Zinc (Zn)	mg/l	0.6
15	Copper (Cu)	mg/l	0.04
16	Chromium (Cr)	mg/l	0.06
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.06
19	Nickel (Ni)	mg/l	0.06
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

END of Test Report

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ6
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Shri. Dattu Lakare**	
Sample Location :Latitude-$19^0$49.019'N, Longitude- 74^0 33.747'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.66
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	19
5	Electrical Conductivity	µmhos/cm	376
6	Total Hardness ($CaCO_3$)	mg/l	148
7	Total Dissolved Solids	mg/l	238
8	Nitrate (NO_3-N)	mg/l	1.25
9	Phosphate (PO_4-P)	mg/l	0.6
10	Sulphate (SO_4^-)	mg/l	19
11	Chloride (Cl^-)	mg/l	39
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	0.17
14	Zinc (Zn)	mg/l	0.4
15	Copper (Cu)	mg/l	0.04
16	Chromium (Cr)	mg/l	0.04
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.04
19	Nickel (Ni)	mg/l	0.04
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ7
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample : **Borewell: Maharashtra Rajya Sheti Mahamandal, Sakarwadi.**	
Sample Location :Latitude-$19^0$49.113'N, Longitude- 74^0 34.328'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.66
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	25
5	Electrical Conductivity	µmhos/cm	618
6	Total Hardness ($CaCO_3$)	mg/l	331
7	Total Dissolved Solids	mg/l	424
8	Nitrate (NO_3-N)	mg/l	2.11
9	Phosphate (PO_4-P)	mg/l	1.4
10	Sulphate (SO_4^-)	mg/l	30
11	Chloride (Cl^-)	mg/l	74
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.2
14	Zinc (Zn)	mg/l	0.6
15	Copper (Cu)	mg/l	0.06
16	Chromium (Cr)	mg/l	0.06
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.06
19	Nickel (Ni)	mg/l	0.04
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Sutarale
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the remnant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ8
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Wari Police Door Kshetra, Wari.**	
Sample Location : Latitude-19^{0}48.950?N, Longitude- 74^{0}34.087'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.55
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	30
5	Electrical Conductivity	µmhos/cm	705
6	Total Hardness ($CaCO_3$)	mg/l	382
7	Total Dissolved Solids	mg/l	528
8	Nitrate (NO_3-N)	mg/l	2.22
9	Phosphate (PO_4-P)	mg/l	1.9
10	Sulphate (SO_4^-)	mg/l	81
11	Chloride (Cl^-)	mg/l	171
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.12
14	Zinc (Zn)	mg/l	1.3
15	Copper (Cu)	mg/l	0.06
16	Chromium (Cr)	mg/l	0.04
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.04
19	Nickel (Ni)	mg/l	0.06
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER
"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ9
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Near Kanehegaon Railway Station**	
Sample Location :Latitude-$19^0$49.065'N, Longitude- 74^0 34.287'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.69
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	7
4	Chemical Oxygen Demand	mg/l	42
5	Electrical Conductivity	µmhos/cm	1229
6	Total Hardness ($CaCO_3$)	mg/l	544
7	Total Dissolved Solids	mg/l	910
8	Nitrate (NO_3-N)	mg/l	3.2
9	Phosphate (PO_4-P)	mg/l	1.4
10	Sulphate (SO_4^-)	mg/l	200
11	Chloride (Cl^-)	mg/l	251
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	3.0
14	Zinc (Zn)	mg/l	0.9
15	Copper (Cu)	mg/l	0.1
16	Chromium (Cr)	mg/l	0.2
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.1
19	Nickel (Ni)	mg/l	BDL
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ10
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Shri. Ashok Narayan Teke**	
Sample Location :Latitude-$19^0$49.666'N, Longitude- 74^0 34.448'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.64
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	29
5	Electrical Conductivity	µmhos/cm	816
6	Total Hardness ($CaCO_3$)	mg/l	343
7	Total Dissolved Solids	mg/l	531
8	Nitrate (NO_3-N)	mg/l	1.79
9	Phosphate (PO_4-P)	mg/l	1.28
10	Sulphate (SO_4^-)	mg/l	170
11	Chloride (Cl^-)	mg/l	201
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.91
14	Zinc (Zn)	mg/l	1.1
15	Copper (Cu)	mg/l	0.06
16	Chromium (Cr)	mg/l	0.06
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.04
19	Nickel (Ni)	mg/l	0.06
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. Subbarao's Environment Centre SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ11
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Wari Grampanchayat Well Near Godavari River Bed**	
Sample Location :Latitude-$19^0$48.479'N, Longitude- 74^0 33.782'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.83
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	17
5	Electrical Conductivity	µmhos/cm	400
6	Total Hardness ($CaCO_3$)	mg/l	150
7	Total Dissolved Solids	mg/l	276
8	Nitrate (NO_3-N)	mg/l	1.22
9	Phosphate (PO_4-P)	mg/l	1.1
10	Sulphate (SO_4^-)	mg/l	34
11	Chloride (Cl^-)	mg/l	46
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.3
14	Zinc (Zn)	mg/l	0.9
15	Copper (Cu)	mg/l	0.04
16	Chromium (Cr)	mg/l	0.04
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.04
19	Nickel (Ni)	mg/l	0.04
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493.
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ12
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample : **Well Water: Shri. Suresh Baburao Sangale**	
Sample Location :Latitude-$19^0$50'23.7948''N, Longitude- 74^0 33'31.7232''E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.76
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	21
5	Electrical Conductivity	µmhos/cm	505
6	Total Hardness ($CaCO_3$)	mg/l	225
7	Total Dissolved Solids	mg/l	350
8	Nitrate (NO_3-N)	mg/l	1.4
9	Phosphate (PO_4-P)	mg/l	0.7
10	Sulphate (SO_4^-)	mg/l	39
11	Chloride (Cl^-)	mg/l	79
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.6
14	Zinc (Zn)	mg/l	0.4
15	Copper (Cu)	mg/l	0.0
16	Chromium (Cr)	mg/l	0.04
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.06
19	Nickel (Ni)	mg/l	0.06
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ13
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Dispensary Well**	
Sample Location :Latitude-$19^0$50'48.804''N, Longitude- 74^0 33'42.804''E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.92
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	7
4	Chemical Oxygen Demand	mg/l	44
5	Electrical Conductivity	µmhos/cm	976
6	Total Hardness ($CaCO_3$)	mg/l	566
7	Total Dissolved Solids	mg/l	651
8	Nitrate (NO_3-N)	mg/l	3.3
9	Phosphate (PO_4-P)	mg/l	1.6
10	Sulphate (SO_4^-)	mg/l	164
11	Chloride (Cl^-)	mg/l	252
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.7
14	Zinc (Zn)	mg/l	1.3
15	Copper (Cu)	mg/l	0.4
16	Chromium (Cr)	mg/l	0.04
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.06
19	Nickel (Ni)	mg/l	0.04
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UZ14
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ground Water
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Date of Analysis: 13 July 2026	Sample Quantity : 1 lit
Name of Sample: **Borewell Water: Shri. Bhausaheb Bhagwat Barhate**	
Sample Location :Latitude-$19^0$49'20.3124''N, Longitude- 74^0 33'26.4852''E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.51
2	Colour	Hazen	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	20
5	Electrical Conductivity	µmhos/cm	604
6	Total Hardness ($CaCO_3$)	mg/l	272
7	Total Dissolved Solids	mg/l	411
8	Nitrate (NO_3-N)	mg/l	1.19
9	Phosphate (PO_4-P)	mg/l	0.6
10	Sulphate (SO_4^-)	mg/l	27
11	Chloride (Cl^-)	mg/l	61
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	2.0
14	Zinc (Zn)	mg/l	0.6
15	Copper (Cu)	mg/l	0.04
16	Chromium (Cr)	mg/l	0.06
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.06
19	Nickel (Ni)	mg/l	0.04
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC1
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample : **Well Water: Shri. Machindra Jayaram Kajale**	
Sample Location : Latitude-19^{0}50.117'N, Longitude- 74^0 33.819'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.61
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	29
5	Electric Conductivity	µmhos/cm	932
6	Total Hardness ($CaCO_3$)	mg/l	442
7	Total Dissolved Solids	mg/l	637
8	Nitrate (NO_3-N)	mg/l	5.1
9	Phosphate (PO_4-P)	mg/l	3.6
10	Sulphate (SO_4^-)	mg/l	118
11	Chloride (Cl^-)	mg/l	295
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	3.2
14	Zinc (Zn)	mg/l	1.2
15	Copper (Cu)	mg/l	1.0
16	Chromium (Cr)	mg/l	0.54
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.3
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subba R

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC2
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample : - **Handpump Water: Sangale Wasti.**	
Sample Location :Latitude-19^{0}50.567'N, Longitude- 74^{0}33.564'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.69
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	34
5	Electric Conductivity	µmhos/cm	952
6	Total Hardness ($CaCO_3$)	mg/l	388
7	Total Dissolved Solids	mg/l	641
8	Nitrate (NO_3-N)	mg/l	4.64
9	Phosphate (PO_4-P)	mg/l	3.4
10	Sulphate (SO_4^-)	mg/l	75
11	Chloride (Cl^-)	mg/l	196
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.4
14	Zinc (Zn)	mg/l	1.0
15	Copper (Cu)	mg/l	0.5
16	Chromium (Cr)	mg/l	0.5
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.1
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC3
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Shri. Ashok Kajale**	
Sample Location :Latitude-$19^0$49.878'N, Longitude- 74^0 33.921'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.59
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	35
5	Electric Conductivity	µmhos/cm	807
6	Total Hardness ($CaCO_3$)	mg/l	452
7	Total Dissolved Solids	mg/l	590
8	Nitrate (NO_3-N)	mg/l	7.1
9	Phosphate (PO_4-P)	mg/l	3.8
10	Sulphate (SO_4^-)	mg/l	147
11	Chloride (Cl^-)	mg/l	281
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.8
14	Zinc (Zn)	mg/l	1.5
15	Copper (Cu)	mg/l	1.5
16	Chromium (Cr)	mg/l	0.5
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.1
19	Nickel (Ni)	mg/l	0.1
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subba Rao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC4
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample : **Well Water: Shri. Santosh Shrihari Walunj**	
Sample Location :Latitude-$19^0$49.938'N, Longitude- 74^0 33.959'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.59
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	30
5	Electric Conductivity	µmhos/cm	783
6	Total Hardness ($CaCO_3$)	mg/l	372
7	Total Dissolved Solids	mg/l	548
8	Nitrate (NO_3-N)	mg/l	3.1
9	Phosphate (PO_4-P)	mg/l	1.2
10	Sulphate (SO_4^-)	mg/l	73
11	Chloride (Cl^-)	mg/l	190
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	0.41
14	Zinc (Zn)	mg/l	0.5
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	BDL
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTER SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/SW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC5
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Surface Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **River Water: Near Open Well Inside of Godavari River Bed**	
Sample Location :Latitude-$19^0$49.92'N, Longitude- 74^0 33.55'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.45
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	15
5	Electric Conductivity	µmhos/cm	381
6	Total Hardness ($CaCO_3$)	mg/l	128
7	Total Dissolved Solids	mg/l	267
8	Nitrate (NO_3-N)	mg/l	1.28
9	Phosphate (PO_4-P)	mg/l	1.05
10	Sulphate (SO_4^-)	mg/l	27
11	Chloride (Cl^-)	mg/l	36
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	0.34
14	Zinc (Zn)	mg/l	0.5
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC6
Date of Collection / Sampling : 02 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Shri. Dattu Lakare**	
Sample Location :Latitude-$19^0$49.019'N, Longitude- 74^0 33.747'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.69
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	18
5	Electric Conductivity	µmhos/cm	388
6	Total Hardness ($CaCO_3$)	mg/l	150
7	Total Dissolved Solids	mg/l	242
8	Nitrate (NO_3-N)	mg/l	1.21
9	Phosphate (PO_4-P)	mg/l	0.5
10	Sulphate (SO_4^-)	mg/l	18
11	Chloride (Cl^-)	mg/l	40
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	0.18
14	Zinc (Zn)	mg/l	0.5
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.03
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.03
19	Nickel (Ni)	mg/l	0.03
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC7
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample : **Borewell: Maharashtra Rajya Sethi Mahamandal, Sakarwadi.**	
Sample Location :Latitude-$19^0$49.113'N, Longitude- 74^0 34.328'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.65
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	26
5	Electric Conductivity	µmhos/cm	609
6	Total Hardness ($CaCO_3$)	mg/l	328
7	Total Dissolved Solids	mg/l	435
8	Nitrate (NO_3-N)	mg/l	2.16
9	Phosphate (PO_4-P)	mg/l	1.3
10	Sulphate (SO_4^-)	mg/l	29
11	Chloride (Cl^-)	mg/l	75
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.1
14	Zinc (Zn)	mg/l	0.5
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Dr. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER
"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC8
Date of Collection / Sampling : 02 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Wari Police Door Kshetra, Wari.**	
Sample Location : Latitude-$19^0$48.950'N, Longitude- $74^0$34.087'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.54
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	31
5	Electric Conductivity	µmhos/cm	712
6	Total Hardness ($CaCO_3$)	mg/l	390
7	Total Dissolved Solids	mg/l	513
8	Nitrate (NO_3-N)	mg/l	2.29
9	Phosphate (PO_4-P)	mg/l	1.8
10	Sulphate (SO_4^-)	mg/l	83
11	Chloride (Cl^-)	mg/l	176
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.15
14	Zinc (Zn)	mg/l	1.2
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. Subbarao's Environment Center, Sangli (Maharashtra) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC9
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Near Kanehegaon Railway Station**	
Sample Location :Latitude-19^{0}49.065'N, Longitude- 74^0 34.287'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.72
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	8
4	Chemical Oxygen Demand	mg/l	41
5	Electric Conductivity	µmhos/cm	1205
6	Total Hardness ($CaCO_3$)	mg/l	558
7	Total Dissolved Solids	mg/l	897
8	Nitrate (NO_3-N)	mg/l	3.1
9	Phosphate (PO_4-P)	mg/l	1.5
10	Sulphate (SO_4^-)	mg/l	204
11	Chloride (Cl^-)	mg/l	255
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	3.1
14	Zinc (Zn)	mg/l	1.0
15	Copper (Cu)	mg/l	0.2
16	Chromium (Cr)	mg/l	0.1
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.1
19	Nickel (Ni)	mg/l	BDL
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC10
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Shri. Ashok Narayan Teke**	
Sample Location :Latitude-19^{0}49.666'N, Longitude- 74^0 34.448'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.65
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	30
5	Electric Conductivity	µmhos/cm	837
6	Total Hardness ($CaCO_3$)	mg/l	354
7	Total Dissolved Solids	mg/l	542
8	Nitrate (NO_3-N)	mg/l	1.82
9	Phosphate (PO_4-P)	mg/l	1.25
10	Sulphate (SO_4^-)	mg/l	167
11	Chloride (Cl^-)	mg/l	206
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.95
14	Zinc (Zn)	mg/l	1.2
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

B. Subbarao
Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC11
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Wari Grampanchayat Well Near Godavari River Bed**	
Sample Location :Latitude-$19^0$48.479'N, Longitude- 74^0 33.782'E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.82
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	16
5	Electric Conductivity	µmhos/cm	390
6	Total Hardness ($CaCO_3$)	mg/l	152
7	Total Dissolved Solids	mg/l	271
8	Nitrate (NO_3-N)	mg/l	1.18
9	Phosphate (PO_4-P)	mg/l	1.0
10	Sulphate (SO_4^-)	mg/l	33
11	Chloride (Cl^-)	mg/l	45
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.2
14	Zinc (Zn)	mg/l	1.0
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER
"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bsbharat@yahoo.com / bsnagjyot@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	*Report Date : 13 April 2026*
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC12
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample : **Well Water: Shri. Suresh Baburao Sangale**	
Sample Location :Latitude-19^{0}50'23.7948''N, Longitude- 74^0 33'31.7232''E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.73
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	22
5	Electric Conductivity	µmhos/cm	498
6	Total Hardness ($CaCO_3$)	mg/l	230
7	Total Dissolved Solids	mg/l	354
8	Nitrate (NO_3-N)	mg/l	1.5
9	Phosphate (PO_4-P)	mg/l	0.8
10	Sulphate (SO_4^-)	mg/l	38
11	Chloride (Cl^-)	mg/l	80
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.7
14	Zinc (Zn)	mg/l	0.5
15	Copper (Cu)	mg/l	0.1
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

Dr. S.S. Subbarao's Environment Center, Sangli (Maharashtra) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER
"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC13
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Well Water: Dispensary Well**	
Sample Location :Latitude-$19^0$50'48.804''N, Longitude- 74^0 33'42.804''E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.93
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	8
4	Chemical Oxygen Demand	mg/l	43
5	Electric Conductivity	µmhos/cm	952
6	Total Hardness ($CaCO_3$)	mg/l	578
7	Total Dissolved Solids	mg/l	664
8	Nitrate (NO_3-N)	mg/l	3.2
9	Phosphate (PO_4-P)	mg/l	1.7
10	Sulphate (SO_4^-)	mg/l	168
11	Chloride (Cl^-)	mg/l	246
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	1.8
14	Zinc (Zn)	mg/l	1.2
15	Copper (Cu)	mg/l	0.5
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Serving for more than 45 years

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

TEST REPORT

Report Ref. No. : SEC/GW-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : UC14
Date of Collection / Sampling : 02 April 2026	Nature of Sample: Ground Water
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Date of Analysis: 05 April 2026	Sample Quantity : 1 lit
Name of Sample: **Borewell Water: Shri. Bhausaheb Bhagwat Barhate**	
Sample Location :Latitude-$19^0$49'20.3124''N, Longitude- 74^0 33'26.4852''E	

Sr. No	Parameter	Unit	Result
1	pH	--	7.48
2	Colour	Hazan	Colourless
3	Biochemical Oxygen Demand	mg/l	BDL
4	Chemical Oxygen Demand	mg/l	21
5	Electric Conductivity	µmhos/cm	589
6	Total Hardness ($CaCO_3$)	mg/l	276
7	Total Dissolved Solids	mg/l	405
8	Nitrate (NO_3-N)	mg/l	1.21
9	Phosphate (PO_4-P)	mg/l	0.5
10	Sulphate (SO_4^-)	mg/l	28
11	Chloride (Cl^-)	mg/l	60
12	Phenolic Compounds (C_6H_5OH)	mg/l	BDL
13	Iron (Fe)	mg/l	2.1
14	Zinc (Zn)	mg/l	0.5
15	Copper (Cu)	mg/l	0.05
16	Chromium (Cr)	mg/l	0.05
17	Cadmium (Cd)	mg/l	BDL
18	Manganese (Mn)	mg/l	0.05
19	Nickel (Ni)	mg/l	0.05
20	Lead (Pb)	mg/l	BDL

Remarks:

Thanking you,

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/Quality Manager

Note:
1. The result pertains only for the sample tested.
2. The test result shall not be reproduced except in full, without written approval of the laboratory.
3. Retention period for the reminant shall be 30 days.
4. BDL- Below Detection Level.

***END of Test Report ***

Annex:- II

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharal@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/AAQ-UZ/07-26	End of **Analysis** : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report **Date** : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/**Sample Ref.** No. : VOC-UZ1
Date of Collection / Sampling : 10 July 2026	Nature of **Sample**: Ambient Air
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Sample Location : **Crotonaldehyde Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.42

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Anundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/AAQ-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : VOC-UZ2
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ambient Air
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Sample Location : **Ethyl Acetate Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.35

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/AAQ-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : VOC-UZ4
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ambient Air
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Sample Location : **Aldol Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.32

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

Serving for more than 45 years
Dr. Subbarao's Environment Center, Sangli

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/AAQ-UZ/07-26	End of Analysis : 21 July 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 22 July 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : VOC-UZ3
Date of Collection / Sampling : 10 July 2026	Nature of Sample: Ambient Air
Date of Receipt : 12 July 2026	Sample Collected By: SEC Lab
Sample Location : **Acetaldehyde Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.34

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/VOC-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : VOC-UC3
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ambient Air
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Sample Location : **R & D Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.31

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/VOC-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : VOC-UC1
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ambient Air
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Sample Location : **MPP Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.32

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

SEC

Dr. SUBBARAO'S ENVIRONMENT CENTER

"Arundhati", Opp. Sahayognagar, M.S.E.B. Road, Vishrambag, Sangli - 416 415.
Phone : Sangli - 0233 - 2301857, (M) 9372109522, 9890992118, 9890454493,
E-mail : bssubbarao@yahoo.com / bssharat@yahoo.com / bsnagjyoti@yahoo.com
QCI - NABET Accredited EIA Consultant Organization
Certificate No. NABET / EIA / 23-26 / RA 0334, valid upto Dec. 12, 2026
NABL Quality Assurance Laboratory Accredition Certificate No. TC - 16008 valid upto 01-05-2029

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/VOC-UC/04-26	End of Analysis : 11 April 2026
Name of Industry/Customer : **Godavari Biorefineries Ltd.**	Report Date : 13 April 2026
Address: Sakarwadi- 413708, Tq- Kopargaon, Dst- Ahilyanagar	Lab ID/Sample Ref. No. : VOC-UC2
Date of Collection / Sampling : 03 April 2026	Nature of Sample: Ambient Air
Date of Receipt : 04 April 2026	Sample Collected By: SEC Lab
Sample Location : **1-3 BG Plant**	

Sr. No.	Parameter	Unit	Result
1	Total VOCs	ppm	0.35

Verified By

DR. SUBBARAO'S ENVIRONMENT CENTRE SANGLI (MAHARASHTRA) SEC

Authorized Signatory
Technical Manager/ Quality Manager

***END of Test Report ***

GODAVARI BIOREFINERIES LIMITED

SAKARWADI

PAYMENT VOUCHER

2300027

Payment to : Shri Akash Ashok Borde (Rajwada Prathistan - Wani).

Employee / Customer / G.L. / Vendor No. .....

Doc No: 09 APR 2026

Posting Date:

Doc Type : K2

Dr. Code	P.K.	Code Description	Amount Rs.	Amount Ps.	Cost / Profit Centre Code	Reference Type	Reference Number	Reference Date
95760	40	Misc Expenses - Other	25,000	00	CSKADGA.			
No. of Encl :		Total Debit Amount	25,000	00				

Cr. Code	P.K.	Code Description	Amount Rs.	Amount Ps.	Cost / Profit Centre Code	Reference Type	Reference Number	Reference Date
50523	50	Yes Bank Ltd.	25000	00				
		Total Credit Amount	25,000	00				

GODAVARI BIOREFINERIES LTD
PAID
09 APR 2026
SAKARWADI

Rs. In Words : Twenty Five Thousand only.

Narration : ~~Ad~~ Financial help Dr. Ambedkar Jayanti Ustav - 2026. Rajwada Prathistan - Wani

Mode of Payment Cash/Cheque/DD/ > Instrument No. ..... Date 09-4-2026

(Receiver Signature)

Annex. - III



जा.क्र. :

दिनांक : ८ / ४ /२०२६

ATM (CA)
Pl. pay Rs. 25000/-

प्रति,
मा.श्री. सुहासजी गोडगे साहेब
गोदावरी बायो रिफायनरीज लिमिटेड, साकरवाडी, वारी
ता. कोपरगांव, जि. अहिल्यानगर

GODAVARI BIOREFINERIES LTD.
09 APR 2026
SAKARWADI

विषय : विश्वरत्न डॉ. बाबासाहेब आंबेडकर जयंतीकरिता देणगी मिळणेबाबत..

महोदय,

सप्रेम जयभिम... सालाबाद प्रमाणे याही वर्षी विश्वरत्न डॉ. बाबासाहेब आंबेडकर जयंती मोठ्या उत्साहाने साजरी करीत आहोत. याप्रसंगी मिरवणुक, महाप्रसादाचे तसेच सांस्कृतिक कार्यक्रमांचे आयोजन करण्यात आले आहे.

तरी आपण विनंती की, सदर कार्यक्रमास आपले सहकार्य असतेच याही वर्षी देणगी देवून सहकार्य करावे, ही नम्र विनंती.

कळावे,

* अर्ज * 11/5/26 दिनांक : 10/5/2026

Agm (HR)

Pl Pay Rs. 21000/-

मा. डायरेक्टर साहेब

गोदावरी बायोरिफायनरीज लि साकरवाडी,

230014 6

अर्जदार : युवा वारी ग्रामस्थ वारी क्रिकेट संघ

विषय : युवा वारी ग्रामस्थ चषक वारी प्रिमियर लिग आयोजित शिव जयंती निमित्त क्रिकेट स्पर्धेचे आयोजन वरी बक्षिस मिळणेबाबत.

GODAVARI BIOREFINERIES L

RECD

11 MAY 2026

SAKARWADI

महोदय,

वरील विषयांस अनुसरुन अर्ज करतो कि वारी गावात दरवर्षी प्रमाणे "वारी प्रिमियर लिग पर्व ७ वे" भारुड क्रिकेट स्पर्धेचे आयोजन करावयाचे आहे तरी आपणास आम्हाला प्रथम क्रमांकाचे बक्षीस २१००० रु. देयावे,

हि नम्र विनंती,

आपला विश्वास

युवा वारी ग्रामस्थ चषक

उमेश देशमुख,

दिपक घनवट

अक्षय गुजांळ

अतुल पठाडे

पंकज सोळसे

04590

53000 Default

GODAVARI BIOREFINERIES LIMITED
GBRL-SAKARWADI (Chemicals)

Doc.Type/No : S2 2300146
Doc.Currency : INR
Paying Plant : GSM6
Assignment : WELFARE
Reference : WELFARE

Doc Dt :09.05.2026

Posting Dt : 11.05.2026

Line Item	PK	Sp. G/L	A/C Code	Description	Cost/Profit Center		BA	Amount		Narration
001			95760	Misc.Exp.-Others	CSKADGA	GSMSAK	SAK	21,000.00	Dr	Finincal Help For Wari Gramast Prim
002			50523	Yes Bank-Yeola			SAK	21,000.00-	Cr	Finincal Help For Wari Gramast Prim

GODAVARI BIOREFINERIES LTD.
RECD
11 MAY 2026
SAKARWADI

TOTAL DEBIT : 21,000.00 TOTAL CREDIT : 21,000.00

IN WORDS : Twenty One Thousand only

INSTRUMENT NO : DATED :

INSTRUMENT NO : DATED :

JADHAVD
(Prepared by) (Checked by) (Sanctioning Authority) (Received by)

Rs 175000 Default3

GODAVARI BIOREFINERIES LTD.

SAKARWADI

PAYMENT VOUCHER

2/00373

ment to: PUNTAMBA RASTAPUR DONGAON BANDHARA KRUTI SAMITI

Doc No

Emplyoyee / Customer / G.L./ Vendor No.:.....

Posting Date 30 JUN 2026

Doc Type :K2

Dr. Code	P.K.	Code Description	Amount Rs.	Cost / Profit Centre Code	Reference Type	Number	Date
95760	G	MISCELLANEOUS EXPENSES-OTHERS	175,000.00	CSKAD-WEL			
No. of Encl:		Total Debit Amount	175,000.00				
Cr. Code	P.K.	Code Description	Amount Rs.	Cost / Profit Centre Code	Reference Type	Number	Date
50523	G	Bank- YES BANK LTD.YEOLA GBL A/C NO 033984600000015	175,000.00				
No. of Encl:		Total Credit Amount	175,000.00				

GODAVARI BIOREFINERIES LTD. RECD 30 JUN 2026 SAKARWADI

Rs. In Words: Rupees One Lakh SeventyFive Thousand Only

Narration - CHEQUE ISSUED AGST FINANCIAL HELP TO PUNTAMBA RASTAPUR DONGAON BANDHARA KRUTI SAMITI KT WEIR REPARING WORK 2026-2027

Mode of Payment/ Cheque / Rtgs-Neft > Instrument No: E Date : 30-06-2026

(Prepared by) (Verified by) (Approved by) (Cashier) (Receiver Signature)

पुणतांबा-रस्तापूर-डोणगांव-वारी बंधारा कृती समिती

मु.पो.पुणतांबा, ता.राहाता, जि.अहिल्यानगर (महाराष्ट्र)

* सचिव *	* उपाध्यक्ष *	* अध्यक्ष *
श्री.रविंद्र चांगदेव थोरे	श्री.भाऊसाहेब कचरू केरे	श्री.सुधाकर नारायण जाधव
9403688465	9552706161	8805356808

जावक क्रं.

दिनांक २४/०६/२०२६

प्रति,

मा.डायरेक्टर साहेब,

गोदावरी बायोरीफायनरीज लि.

साकरवाडी, ता-कोपरगाव, जि-अहिल्यानगर.

AGM (A) 29/6/26
As per our agreement
Deeate..

पुणतांबा-रस्तापूर-डोणगांव-वारी बंधारा कृती समिती * पुणतांबा, ता. राहाता, जि. अहिल्यानगर (महाराष्ट्र) *

विषय- पुणतांबा गोदावरी नदीवरील बंधाऱ्यास मदत मिळणे बाबत..

महोदय,

उपरोक्त विषयान्वये आपणास विनंती करण्यात येते की, पुणतांबा येथे गोदावरी नदीवर के. टी. वेअर बंधारा आहे. सालाबाद प्रमाणे बंधाऱ्याला आर्थिक मदत रुपये १,००,०००/- (दोन लाख) मिळावी. ही विनंती.

आपण दरवर्षी वेळोवेळी जी मदत केलेली आहे त्याबद्दल आपले मनःपुर्वक अभिनंदन.

GODAVARI BIORELINERIES LTD. RECD 30 JUN 2026 SAKARWADI

धन्यवाद जा. व्हावे.

आपला विश्वासू,

Rksir
Last year paid - Rs-175,000/-
Doc No - 2300282 dtd 31.5.2025
Santra
30/6/2026.

अध्यक्ष

बंधारा कृती समिती पुणतांबा-रस्तापुर-डोणगाव-वारी

अध्यक्ष

पुणतांबा-रस्तापूर-डोणगांव-वारी बंधारा कृती समिती

पुणतांबा,ता.राहाता,जि.अहिल्यानगर(महाराष्ट्र)

BILL NO- 06 DATE- 30/09/2026

2	1	5	8	2	0

PO | 4 | 5 | 0 | 0 | 2 | 7 | 4 | 2 | 0 | 6 | 10

MADHAV TRIMBAK CHAUDHARI

AP-KANHEGAON TAL -KOPARGAON

DIST-AHEMDNAGAR

SER EN | 1 | 0 | 0 | 0 | 2 | 8 | 6 | 0 | 7 | 9

PAN- BIRPC1375C

GR

INVOICE TO:- GODAVARI BIO REFINERIES LTD.SAKARWADI

SR NO	PARTICULERS	QTY	UNIT	RATE	AMOUMT
1	अनामवाडी पाणी पुरवठा करणे 19/08/26 ते 18/09/26.	1	-	-	35000/-
	TOTAL पस्तीस हजार रुपये				35000/-

M.T. chaudhari

FOR- MADHAV TRIMBAK CHAUDHARI

GODAVARI BIOREFINERIES LTD.

SAKARWADI

PAYMENT VOUCHER

230877

ment to:...

Employee / Customer / G.L./ Vendor No.:.....

Doc No

Posting Date 30 JUN 2026

Doc Type :K2

Dr. Code	P.K.	Code Description	Amount Rs.	Cost / Profit Centre Code		Reference Type	Number	Date
94740	G	WELFARE EXPENSES-OTHERS	3,900.00	CSKAD-WE	VIJAYASHWARI K.DESALE			
94740	G	WELFARE EXPENSES-OTHERS	4,900.00	CSKAD-WE	SARIKA WALMIK BHAD			
94740	G	WELFARE EXPENSES-OTHERS	4,100.00	CSKAD-WE	MIRA SHARAD JOSHI			
94740	G	WELFARE EXPENSES-OTHERS	4,100.00	CSKAD-WE	VRUSHALI RAHUL TEKE			
No. of Encl:		Total Debit Amount	17,000.00					

Cr. Code	P.K.	Code Description	Amount Rs.	Cost / Profit Centre Code	Reference Type	Number	Date
81040	G	ELECTRICITY CHARGES (RECOVERED)	225.00	VIJAYASHWARI K.DESALE ELE BILL JUNE-2026			
50523	G	Bank- YES BANK LTD.YEOLA GBL	16,775.00				
		A/C NO 033984600000015					
No. of Encl:		Total Credit Amount	17,000.00				

GODAVARI BIOREFINERIES LTD. SAKARWADI

Rs. In Words: Rupees Seventeen Thousand Only

Narration - CHEQUE PAID AGST TRANSFER -FINANCIL HELP TO STITCHING CLASS/BALAK MADIR FOR THE MONTH OF JUNE-2026

Mode of Payment Cash / Cheque / Rtgs-Neft ..... Instrument No:..... Date 30-06-2026

(Prepared by) (Verified by) (Approved by) (Cashier) (Receiver Signature

BILL/CASH MEMO

Mob.9423132222

DATTATRAY SHESHRAO TAYADE

A/p.Sheshrao Tayade,Satambe Vasti, Kanhegaon,
Tal. Kopargaon, Dist.A'Nagar - 413708

Porp. Dattatray Sheshrao Tayade

Bill No. 034 Date 28/09/2026

Vendor No. : 215798
Pan No. : AIAPT5001A
Party Name : Godavari Biorefineries Ltd.
GSTIN No. : 27AABCG2543C1Z3

P.O.No. 4500274205(10
SER.ENT.NO. 1000285608

Sr. No.	PARTICULARS	QTY.	UNIT	RATE	AMOUNT
1	Domestc Water Trans Port To Gosavi Vasti [Kanhegon] Pariod 26-08-2026 To 25-09-2026	1	Month	11000/-	11000/-
			Total		11000/-
			CGST %		
			SGST %		
			Less TDS 1%		
			NET TOTAL		

29-09-2026

Rs. Elevan Thousand Rupees Only

A/C.No. 682104000004374
IFSC Code :- IBKL0001644

For - Dattatray Sheshrao Tayade
Tayade D.S.
Proprieter

Bill 045

Bill / Cash Memo

Date 22/10/2026

Rajesh Appasaheb Kajale

At./Pt. : Kajale Wasti, Wari, Pin - 413 708
Tal. : KOPARGAON
Dist. : AHILYANAGAR
Vendor No.: 2 1 5 3 0 7
Prop : Rajesh Appasaheb Kajale
Mobile No.: 9763264263

P.O.No. 4 5 0 0 2 7 9 9 4 8 (C10)
SER.ENT.No. 1 0 0 0 2 8 6 7 1 6
G.R.DOC.No.

Party Name : GODAVARI BIOREFINERIES LTD., SAKARWADI, Tal.Kopargaon

GSTIN No. : 27AABCG2543C1Z3

S.N	PARTICULARS	QTY	UNIT	RATE	AMOUNT
1.	Domestce water, supiply to Kajale walunj autade wasti From 14 september 2026 13 October 2026	1	month	30000	300001
				Total	300001
				CGST	
				SGST	
				Less TDS	
				Net Total	

YV Bogal 23-10-2026

Rs. Thirty - Thousand only

For - Rajesh A. Kajale

Bill 029 **TAX INVOICE** Date 27/09/2026

Rameshwar A. Thombre

At./Pt. : Wari, Pin - 413 708
Tal. : KOPARGAON
Dist. : AHMEDNAGAR
Vendor No.: 2 0 8 5 4 8
Pan. : A C U P T 0 1 9 3 P

P.O.No. 4 5 0 0 2 7 6 8 1 9 (10)
SER.ENT.No. 1 0 0 0 2 8 5 5 8 2
G.R.DOC.No.

INVOICE TO : GODAVARI BIOREFINERIES LTD.,Sakarwadi

S.N	PARTICULARS	QTY	UNIT	RATE	AMOUNT
	Drinking Water supply by tractor & Tanker at Sade, Ashok Tekle Teke. Sir etc 26/08/26 to 25/09/26	(18) 15	one	520/-	9360/-
	Water chagres 26/08/26 to 25/09/26	82	one	540/-	44280/-
		(100) 97	trips	100/-	10000/-
					63640/-
	DEDUCTIONS =				
	TDS 2.2% =				
	DEPOSITE =				
	ADVANCE =				
	P.F. =				
				Net Total	63640/-

V Bogal 28-09-2026

28-9-2026

Rs.....

For - Rameshwar A. Thombre

Prakashrao S. Karde

At. Post : KANHEGAON
Tal. : Kopargaon, Dist. : A'nagar. Pin. 413708
Mob. : 9604921233 / 9421560333
PAN ON ANJPK8061FST001
Invoice To : G. B. L. Sakarwadi
VENDOR No. : 201274

P. O. NO. : 4500276825
SER. ENT. NO. : 1000028558
G. R. DOC. NO. :



Bill No. : 139
Date :- 26/09/26

Sr. No.	PARTICULARS	M. B. N.	QTY.	UNIT	RATE	AMOUNT
1)	Drinking water supply to Kanhegaon area within 4km radius. (By tractor tanker)		167 165		520	86,840 85,800
2)	Drinking water supply to Kanhegaon area above 4km by tractor tanker.		75		540	40,500
3)	Water Charges of trailer tanker.		242 240		100 ~~150~~	24,200
	Period :- 26/08/26 to 25/09/26					
						1,50,300
	TDS. 2.2% =				NET. -	151,540
	DEPOSITE =					
	ADVANCE =					
	P. F. =					

Rs. _____

28-9-2026

For- Prakashrao S. Karde

No. 364

रमेश बी.टेके पाटील

वारी , ता.कोपरगांव.जि.अ.नगर

Mob. ~~9579408090~~

VEN. No.206355

दि. १५/१०/२०२६

जनरल मॅनेजर सो.

जी.बी.एल.लि.

साकरवाडी ता.कोपरगांव.जि.अ.नगर

मी आपल्या कंपनीत खालीलप्रमाणे ट्रॅक्टर कामासाठी दिला आहे. तरी त्याचे नियमाप्रमाणे बील मिळावे.

तारीख	दिवस	कामाचे स्वरूप
१४/१०/२०२६	१ जॉब	वारी साकरवाडी कान्हेगाव रोड R.O. पाणी पुरवठा करणे.
१३/१०/२०२६		
एकूण दिवस	साठ हजार रु फक्त —	६०,०००/-

P.O.:- 4500279947 (10)

SENO:- 1000286586

16/10/26

14/10/2026

आभारी आहे.

आपला

PAN NO. - AENPT 9099 K

Bill No. 193

Date : 30/09/2026

SUNIL A. TEKE

AT/PO. : WARI - 413708,
TAL. : KOPARGAON
DIST : AHMEDNAGAR
VENDER No. : 262116
PAN NO. :
SERVICE TAX No. :



P. O. No. 4500276821 C

Ser. Ent. No. 1000285942

G.R.Doc. No.

INVOICE TO : GODAVARI BIOREFINERIES LTD., SAKARWADI

Sr.No.	Particulars	M.B.N.	Qty.	Unit	Rate	Amount
	Drinking water supply at wari Sakarwadi by tractor and tanker.		31	one	520	16,120
			137	one	540	73,980
			167	trip	100	16,700
	period 26-08-2026 to 25-09-2026					
	DEDUCTIONS =		TOTEL =			1,06,800/-
	TDS % =		SER TAX =			
	DEPOSITE =		EDUCATION CESS =			
	ADVANCE =		H.EDUCATION CESS =			
	P.F. =					
			TOTAL			
			NET			

Y V Bogal 30-09-2026

30/9/26

Rs. _____

For - S. A. TEKE

Om Sai Ram

Date : 27/09/2026

Ramakant V. Teke

At-Post : WARI-413 3708
Tai : Kopargaon Dist :Ahmednagar.
Mob.9730377836,9881359918, Abhishek 8975656188
Vendor No. 21052 8
PAN No.
Service Tax No.

P.O. No. 4500276817

S.E.No. 1000285842

G.R.D. No.

Bill No. 41

Invoice to .GODAVARI BIOREFINERIES LTD.SAKARWADI

S.No.	PARTICULARS	M.B.N.	QTY	UNIT	RATE	AMOUNT
	Drinking watet Supply by Tratot & Tenket Somaiya farm, Hanuman gate, Bhakute, Khokuat etc.		46	one	520	23,920
			123	one	540	66,420
	D. watet chargegal 30-09-2026		169	one	100	16,900
						1,07,240

DEDUCTION-

TDS % =

DEPOSITE =

ADVANCE =

P.F. =

RS _____

Reciver Sign.

For- Ramakant V. Teke

Annexure - IV

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: http://mpcb.gov.in
Email: cac-cell@mpcb.gov.in

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/L.S.I (R22)/ Rev. RED/I.S./(111.1)
No:- Format1.0/CAC/UAN No.MPCB-CONSENT-0000293288/CO/2610000139

Date: 02/10/2026

To,
M/s- Godavari Biorefineries Ltd.
Gut No. 159-165, 180/1, 180/2, 181/1, 181/2, 187/1, 187/2, 188, 189, 199, 158, 167-178, 511, 139-2
Sakarwadi, Tal- Kopargaon, Dist- Ahmednagar

LiFE Lifestyle for Environment
Your Service is Our Duty

Sub: Grant of Consent to First Operate (Expansion) along with amalgamation of Existing Renewal of Consent to Operate with change in product under Product-Mix

Ref:
1. Renewal of Consent to Operate with change in product under Product-Mix accorded vide No.: Format1.0/CAC/UAN No.0000202694/CO/2410001242 dtd: 3/10/2024
2. Consent to Establish (Expansion) accorded vide No.: Format1.0/CAC/UAN No.0000120713/CE/2204000670 dtd: 12/04/2022
3. Environmental Clearance granted vide No. F No. IA-J-11011/154/2019-IA-II (I) dated 06/8/2021
4. Minutes of Consent Appraisal Committee Meeting held on 5.08.2026
5. Minutes of Personal Hearing dtd: 17.08.2026

Your application No.MPCB-CONSENT-0000293288 Dated 29.06.2026

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/08/2029**
2. **The capital investment of the project is Rs.311.88 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 242.79 Crs + Increase in C.I. - Rs. 69.09 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
A. Ester					
1	Ethyl Acetate	5400	3300	8700	MT/M
2	Dilute Ethyl Acetate and other ester	30	0	30	MT/M
3	3- Methoxy Butyl Acetate	25	0	25	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
4	Diethyl Oxalate	20	0	20	MT/M
5	Ethyl Crotonate	20	0	20	MT/M
	Methyl Crotonate				
	Methyl beta amino crotonate				
	Butane diol Polyester				
	Ethyl Butyrate				
	Diethyl Succinate				
	Dimethyl Phthalate				
	Isopropyl Crotonate				
	Hexyl Acetate				
	Hexyl Salicylate				
	Diethyl Pthalate				
	Isopropenyl Acetate				
	Methyl Acrylate				
	Ethyl Propionate				
	Styralyl Acetate				
	1- Ethoxy Ethyl Acetate				
	Sorbyl Acetate				
	Ethyl Formate				
6	Butyl Acetate	100	0	100	MT/M
7	Propyl Acetate	20	0	20	MT/M
8	Dibutyl Itaconate	50	0	50	MT/M
9	Triacetin	50	0	50	MT/M
10	Butylbutyrate	300	0	300	MT/M
	2-Ethylhexyl acetate				
	Cis-3-Hexenyl Salicylate				
	2-Ethylhexyl butyrate				
	Cis-3-Hexenyl Acetate				
	Cis-3-Hexenyl Butyrate				
	Cis-3-Hexenyl Isobutyrate				
	Cis-3-Hexenyl Hexanoate				
	Cis-3-Hexenyl cis-3-hexanoate				
	Triethyl Citrate				
	Tributyl Citrate				
	Diethyl Itaconate				
	Iso propyl acetate				
	Isoamyl acetate				
	Ethyl Nicotinate				
B. ETHER					
11	Ethyl Vinyl Ether	100	0	100	MT/M
12	Iso butyl Vinyl Ether	30	0	30	MT/M
	Methyl Vinyl Ether				
	Butyl Vinyl Ether				
	Diethyl Ether				
13	Acetaldehyde	2000	800	2800	MT/M
14	Crotonaldehyde	1000	0	1000	MT/M
15	Acetaldol	425	0	425	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
C. ALDEHYDES					
16	Paraldehyde	200	0	200	MT/M
17	Butyraldehyde	200	0	200	MT/M
18	2-Ethylbutyraldehyde	200	0	200	MT/M
19	2 Ethyl Crotonaldehyde	200	0	200	MT/M
20	Cinnamaldehyde	200	0	200	MT/M
21	Sorbaldehyde	200	0	200	MT/M
22	Hexyl Cinnamaldehyde	200	0	200	MT/M
23	2- Ethyl Hexenal	200	0	200	MT/M
24	2 Ethyl Hexanal	200	0	200	MT/M
25	Dimethyl-3-Cyclohexene-1-Carboxaldehyde	200	0	200	MT/M
26	1,1-Bis (3,4-dimethylphenyl) ethane	200	0	200	MT/M
27	1,1-Di-p-Tolylethane	200	0	200	MT/M
28	Trans 2-Hexenal	200	0	200	MT/M
D. AMIDE					
29	Croto Resin and Croto Di Urea	90	0	90	MT/M
30	Niacinamide	30	0	30	MT/M
E. GLYCOL					
31	1,3 Butylene Glycol	200	0	200	MT/M
32	Dilute/Impure 1-3 Butylene Glycol	32.22	0	32.22	MT/M
33	2- Ethyl,1,3 Hexane Diol	33.33	0	33.33	MT/M
34	Propylene Glycol	50	0	50	MT/M
35	Ethylene Glycol	10	0	10	MT/M
F. Acid					
36	Acetic Acid	598.85	0	598.85	MT/M
37	Dilute Acetic Acid	110	0	110	MT/M
38	Butyric Acid	15	0	15	MT/M
	Crotonic acid				
	M-Toluic Acid				
	Benzoic Acid				
39	Nicotinic acid	60	0	60	MT/M
40	Sorbic Acid or Potassium Sorbate	50	0	50	MT/M
G. ALCOHOL					
41	Butanol	200	0	200	MT/M
42	3-Methoxy Butanol	25	0	25	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
43	Dilute 3 Methoxy Butanol	2.7	0	2.7	MT/M
44	Crotyl Alcohol	20	0	20	MT/M
45	Impure Crotyl Alcohol	20	0	20	MT/M
46	Isobutanol	20	0	20	MT/M
47	Tri Methalol Propane	20	0	20	MT/M
48	2,5-Furan dimethanol	20	0	20	MT/M
49	Phenyl Ethyl Alcohol	20	0	20	MT/M
50	Phenyl methyl carbinol	20	0	20	MT/M
51	Isoamyl Alcohol	20	0	20	MT/M
52	Polycosanal	20	0	20	MT/M
53	N-hexanol	20	0	20	MT/M
54	Cinnamic Alcohol	100	0	100	MT/M
55	2-Ethyl-1-Butanol	7	0	7	MT/M
56	2-Ethyl Hexanol	31	0	31	MT/M
57	Sorbic Alcohol	50	0	50	MT/M
58	Cis-3-Hexenol	50	0	50	MT/M
H. KETONE					
59	3- Methyl 3-Pentene-One (MPO)	400	0	400	MT/M
60	Ketone Mixture	197.5	0	197.5	MT/M
61	Gbamber	50	0	50	MT/M
62	Valerolactone	15	0	15	MT/M
	3-Methyl -2-Pentanone				
	Methyl Ethyl Ketone				
	Acetone				
	Diethyl ketone				
	Acetophenone				
	4-Hydroxy 2-Butanone				
63	Methyl Isopropyl Ketone (MIPK)	50	0	50	MT/M
I. OXIMES					
64	Acetaldehyde Oxime	20	0	20	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
J, ACETALS					
65	Acetaldehyde Diethyl Acetal	25	0	25	MT/M
66	Acetaldehyde Dimethyl Acetal	15	0	15	MT/M
	Formaldehyde Dimethyl Acetal				
	Formaldehyde Diethyl Acetal				
	Acetaldehyde Dibutyl Acetal				
	Acetaldehyde Di Iso Propyl Acetal				
	Acetaldehyde Di-Iso Amyl Acetal				
	Crotonaldehyde Diethyl Acetal				
	Butyraldehyde dimethyl acetal				
	Butyraldehyde diethyl acetal				
	Cinnamaldehyde Diethyl Acetal				
	Tri Ethoxy Butane				
	Tri methoxy Butane				
	Acetaldehyde Propylene Glycol Acetal				
	Trans 2-Hexenal Propylene Glycol Acetal				
K. NITRILES					
67	Propionitrile	20	0	20	MT/M
	Butyronitrile				
	Isobutyronitrile				
	Valeronitrile				
68	Acetonitrile	20	0	20	MT/M
69	Crotonitrile	8.33	0	8.33	MT/M
L. SALTS					
70	Sodium Benzoate	9.82	0	9.82	MT/M
	Sodium Chloride				
	Ammonium sulfate				
71	Sodium Sulphate	245	0	245	MT/M
72	Ammonium Sulphate	15.97	0	15.97	MT/M
M. Pyridine					
73	MEP (Methyl Ethyl Pyridene)	50	0	50	MT/M
N. Anhydride					
74	Crotonic Anhydride	8.33	0	8.33	MT/M
75	Turbine - (Captive Power Plant)	5.6	0	5.6	MW

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	750	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	200	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler (30 TPH)	1	As per Schedule -II
2	S-2	ISGEC Boiler (18 TPH)	1	As per Schedule -II
3	S-3	Thermax Boiler (18 TPH)	1	As per Schedule -II
4	S-4	Thermic Fluid Heater (4Lakh Kcal/Hr)	1	As per Schedule -II
5	S-5	D. G. Set (1000 KVA)	1	As per Schedule -II
6	S-6	DG Set (590 KVA)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Bio Degradable Waste	600	Kg/Day	Composting	Used as mannure
2	Non Biodegradable waste	272.5	Kg/Day	Sale	Sale to authorized party
3	STP Sludge	30.64	Kg/Day	Composting	Used as mannure
4	WTP Sludge	300	Kg/Day		Landfilling at own land
5	Dust	3.0	MT/Day	Sale	Sale to Brick Manufacturer
6	Boiler Ash	65	MT/Day	Sale	Sale to Brick Manufacturer
7	Insulation & Glass wool waste	0.5	Ton/M	Sale	Sale to authorized party

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	36.1 Any process or distillation residue	12	MT/Day	Incineration / pre-processing / Co-processing	CHWTSDF/ Co-Processor through authorized Pre processor /Authorized Coprocessor
2	28.3 Spent carbon	31	MT/A	Incineration/ Recycle	Sale to Authorized Recycler / CHWTSDF/ CoProcessor through auth. Pre processor /Auth. Coprocessor

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
3	1.6 Spent catalyst and molecular sieves	5	MT/A	Recycle/ Incineration / preprocessing / Co-processing	Sale to authorized party / CHWTSDF/ Co-Processor through authorized Pre processor /Authorized Coprocessor
4	1.4 Organic residues	8.0	CMD	Incineration / pre-processing / Co-processing	CHWTSDF/ Co-Processor through authorized Pre processor /Authorized Coprocessor
5	35.3 Chemical sludge from waste water treatment	2.0	MT/Day	Landfill	CHWTSDF
6	5.1 Used or spent oil	1.2	KL/A	Recycle	Sale to authorised party
7	35.2 Spent ion exchange resin containing toxic metals	1.2	MT/A	Recycle/ Incineration / preprocessing / Co-processing	Sale to authorized party / CHWTSDF/ Co-Processor through authorized Pre processor /Authorized Coprocessor
8	37.3 Concentration or evaporation residues	1.5	MT/Day	Landfill	CHWTSDF
9	20.2 Spent solvents	3	KL/D	Recycle*	Sale to authorised party
10	Used Discarded PPEs	1	MT/A	Incineration	CHWTSDF

*** Sale to Authorized Party having permission under Rule 9 of H&OW Rule**

8. **Conditions under Batteries (Management & Handling) Rules, 2002:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Used Batteries	80.00	Nos./Y	Sale to Authorized Party

Specific Conditions for used Batteries:

i. The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.

ii. The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.

iii. Bulk consumers to their user units may auction used batteries to registered recyclers only.

9. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E Waste	1.00	MT/A	Sale to Authorized Party

10. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. This Consent is issued subject to an order passed or may be passed by Hon'able NGT in application no. 68/2014
13. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. F No. IA-J-11011/154/2019-IA-II (I) dated 06/8/2021
14. Volatile Organic Compounds (VOCs)/Fugitive emissions shall be controlled at 99.97% with effective chillers/modern technology. 3. PP shall submit an action plan for control of VOCs / fugitive emissions across the unit within 3 months.
15. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent. (Operate/Renewal)
16. This consent is issued pursuant to the decision of the Personal Hearing dated 17.08.2026
17. This consent is issued with the overriding effect to the existing Renewal of Consent to Operate with change in product under Product-Mix accorded vide No.: Format1.0/CAC/UAN No.0000202694/CO/2410001242 dtd: 3/10/2024.
18. PP shall 100% recycle treated effluent towards Zero Liquid Discharge.
19. PP shall ensure that hazardous waste generated from any activity of the entity is managed as per the provisions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
20. The applicant shall not carry out any excess production or produce new products without the consent of the Board and without Environmental Clearance, wherever it is applicable.
21. This Consent is issued purely from an environmental perspective, without prejudice to any ongoing or future court cases. All other applicable permissions and NOCs shall be obtained separately.
22. PP shall submit BG of Rs. 25.0 Lakh towards compliance of consent conditions as per schedule III of this consent.
23. PP shall register themselves as bulk waste generator with concerned local body through the centralised online portal as per the provisions of Solid Waste Management Rules, 2026 and shall comply with this rule scrupulously.
24. The applicant shall strictly comply with the circular issued by the Board vide No. MPCB / JD(APC) / NACP / DG Set / B-0090 dtd. 02/06/2023 regarding Retrofitting of Emission Control Device (RECD) for in-use Diesel Operated Internal Combustion Engines / D.G. Sets.

25. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

6fdb4e5e
90be3481
27fe673c
83408804
7c8f6e91
60c90648
b4b3d3cf
7aa26ecd

Signed by: Shri. Rahul Rekhawar
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2026-10-02 08:37:45 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	300000.00	TXN2607000217	03/07/2026	Online Payment

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahilyanagar
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB,Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 750.00 CMD consisting of Primary (Collection tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank, Anaerobic Digester (UASB)), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advanced treatment (Reverse osmosis, Multi effective evaporator), Sludge treatment (Sludge drying bed) for the treatment of 750 CMD of trade effluent.

   B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.

2. A] As per your application, you have provided 02 Sewage Treatment Plants of designed capacity 200 CMD + 50 CMD for treatment of 200 CMD of sewage

   B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1B of schedule I.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	*Purpose for water consumed*	*Water consumption quantity (CMD)*
1.	Industrial Cooling, spraying in mine pits or boiler feed	2657.00
2.	Domestic purpose	219.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	490.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	219

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Boiler	ESP	52.00	Coal/Biomass 5675 Kg/Hr	0.5	TPM	115 Mg/Nm^3
						SO2	1362 Kg/Day
S-2	ISGEC Boiler	ESP	30.00	Coal / Biomass 3405 Kg/Hr	0.5	TPM	115 Mg/Nm^3
						SO2	817.2 Kg/Day
S-3	Boiler	ESP	30.00	Coal 3505 Kg/Hr	0.5	TPM	115 Mg/Nm^3
						SO2	841.20 Kg/Day
S-4	Thermic Fluid Heater (4Lakh Kcal/Hr)	Fabric Bag Filter Multi Cyclone	30.00	Coal 2170 Kg/Hr	0.5	TPM	115 Mg/Nm^3
						SO2	650.40 Kg/Day
S-5	DG Set	Acoustic Enclosure	9.00	HSD 150 Ltr/Hr	1	TPM	115 Mg/Nm^3
						SO2	72 Kg/Day
S-6	DG Set	Acoustic Enclosure	6.00	HSD 65 Ltr/Hr	1	TPM	115 Mg/Nm^3
						SO2	31.20 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	1000000	Existing	Zero Liquid Discharge to be achieved by MEE/Incineration	31/8/2029	28/2/2030
2	C to O	500000	Existing	Towards O&M of Pollution Control System	31/8/2029	28/2/2030
3	C to O	1000000	Existing	Towards compliance of Consent Conditions	31/8/2029	28/2/2030

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
    1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.

       Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.
    2. **Storage for other components and residues:**Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with team.
    3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste'. The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
    4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.

5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.

6. The Energy source for lighting purpose shall preferably be LED based
7. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
8. Conditions for D.G. Set
   a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
   b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f) D.G. Set shall be operated only in case of power failure.
   g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
9. The applicant shall maintain good housekeeping.
10. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

11. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
12. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
13. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
14. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
15. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
16. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
17. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
18. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
19. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
20. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
21. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
22. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
23. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
24. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

25. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
26. The industry should not cause any nuisance in surrounding area.
27. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
28. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
29. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
30. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
31. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
32. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
33. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
34. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
35. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
36. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
37. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

38. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).

39. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.

40. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.